

J6898(C)
Abbas et al.
We claim:

- 5 1. A combination toilet bar, comprising:
 - a. about 50 to 80% by wt. of soap(s);
 - b. about 1 to 5 % by wt. of amphoteric surfactant(s);
 - c. about 1 to 5 by wt. of synthetic anionic surfactant(s);
 - 10 d. about 0.1 to 10 % of hydrophobic emollient(s) with a titer point between about 1 to 80 C other than a hydrocarbon with a titer less than about 50 C;
 - e. greater than about 0.1 to less than 2% by wt. of a hydrocarbon with a titer less than about 50 C;
 - 15 f. wherein the ratio of synthetic anionic surfactants to amphoteric surfactant(s) is in the range of about 1 to 5 to 5 to 1; and
 - g. less than about 15% by wt. water.
- 20 2. The bar of claim 1 wherein the synthetic anionic surfactant has a Krafft point of less than about 30 C.
- 25 3. The bar of claim 1 further comprising C₁₂₋₁₈ normal alkyl sulfonated methyl ester(s).
4. The bar of claim 1 further comprising a Lathering Index Ratio of more than about 0.8.
5. The bar of claim 1 further comprising cationic polymer(s).

J6898(C)

Abbas et al.

6. The bar of claim 1 further comprising a pH of in the range of about 8.5 to 10.0.
7. The bar of claim 1 further comprising a safe and effective amount of at least one active agent, a hydrophilic moisturizing agent or blend thereof.
8. The toilet bar of claim 1 wherein the soaps include a blend of C₆ to C₂₂ alkyl soaps.
9. The bar of claim 1 further comprising water in the range of about 1 to less than about 15% by wt.
10. A method of skin treatment and/or cleansing with a combination toilet bar, comprising the steps of:
 - a. wetting the mild bar with water; the bar including:
 1. about 50 to 80% by wt. of soap(s);
 2. about 1 to 5% by wt. of amphoteric surfactant(s);
 3. about 1 to 5 by wt. of synthetic anionic surfactant(s);
 4. about 0.1 to 10 % of hydrophobic emollient(s) with a titer point between about 1 to 80 C other than a hydrocarbon with a titer less than about 50 C;
 5. greater than about 0.1 to less than 2% by wt. of a hydrocarbon with a titer less than about 50 C;
 6. wherein the ratio of synthetic anionic surfactants to amphoteric surfactant(s) is in the range of about 1 to 5 to 5 to 1; and

J6898(C)

Abbas et al.

b. rubbing the wet bar on the skin to deposit the emollients and/or skin active ingredients while cleansing the skin.